





* %1A

Ontario Traffic Manual

July 2001

Introduction to the Ontario Traffic Manual

Appendix A - Illustrated Sign and Signal Display Index

ISBN 0-7794-1857-3

Copyright © 2001 Queen's Printer for Ontario All rights reserved.

Table of Contents

1.	Introduction	3
2.	Regulatory Signs (Book 5)	5
3.	Warning Signs (Book 6)	29
4.	Temporary Conditions Signs (Book 7)	51
5.	Directional Guide Signs (Book 8)	69
6.	Tourism and Commercial Signs (Book 9)	87
7.	Standard Traffic Signal Displays (Book 12, Figure 1)	93

1. Introduction

This Appendix A to Book 1 of the Ontario Traffic Manual provides an illustrated index of all signs and sign types which have a standard sign number, and an illustrated index of standard traffic signal displays.

Beside each sign illustration are shown the sign name, the sign number(s), the various sizes available for that sign, and the Books and section numbers of the Ontario Traffic Manual which cover usage of each sign.

Sign sizes shown in the OTM, including this Appendix, are small dimension by large dimension and are given in centimetres (cm).

The signs are listed by Book, and the order of signs illustrated in this Appendix is the same order, the functional order, as that followed in each of Books 5, 6, 7, 8, and 9. (As is the case in each of these Books, the sign numbers will therefore not follow strict numerical sequencing.) These five Books contain the primary description of each sign; together with this Introduction and Book 12, this provides seven sections to Appendix A.

Eventually, once one complete cycle of revision of the OTM has taken place, all sections of this Appendix will be bound together. Until then, they are presented in loose-leaf format.

2. Regulatory Signs (Book 5)

	Sign Name and Number	Size (cm)	Book	Section
	STOP			
STOP	Ra-1 Ra-101 Ra-1101	60 x 60 75 x 75 120 x 120	5	2
ALL-WAY	ALL-WAY Tab			
	Ra-1t Ra-101t	15 x 30 22.5 x 45	5	2
	YIELD			
	Ra-2 Ra-102	75 90	5	3
YIELD	YIELD Tab			
	Ra-2t Ra-102t	22.5 x 45 30 x 60	5	3
CROSS ON ON	CROSS ON GREEN	N LIGHT ONLY		
GREEN LIGHT ONLY	Ra-6	30 x 45	5	4.1

	Sign Name and Number	Size (cm)	Book	Section	
CROSS	CROSS ON WALK	SIGNAL ONLY			
WALK SIGNAL ONLY	Ra-7	30 x 45	5	4.1	
CROSS	CROSS ONLY AT	CROSSOVER			
ONLY AT CROSSOVER	Ra-8	30 x 45	5	4.1	
CROSS OTHER	CROSS OTHER SI	DE			
OTHER	Ra-9	30 x 30	5	4.1	
	CROSS OTHER SIDE				
CROSS OTHER SIDE	Ra-9A	30 x 45	5	4.1	
	PEDESTRIAN PUS (with directional arre				
	Ra-12	13 x 20	5	4.1	
	PEDESTRIAN MUS		I		
	Ra-13	45 x 60	5	4.1	

	Sign Name and Number	Size (cm)	Book	Section
PEDESTRIAN	PEDESTRIAN X (Cr	rossover)		
X	Ra-4	60 x 75	5	4.2
STOP FOR	STOP FOR PEDES	TRIANS Tab		
PEDESTRIANS	Ra-4t	45 x 60	5	4.2
NO	NO PASSING HER	E TO CROSSING		
PASSING HERE TO CROSSING	Ra-10	60 x 75	5	4.2
LOOK POINT	PEDESTRIAN PUS	HBUTTON		
POINT	Ra-11	17.5 x 37.5	5	4.2
MAXIMUM	MAXIMUM SPEED)		
50	Rb-1	60 x 75	5	5
MAXIMUM	MAXIMUM SPEED) Alternate		
50 km/h	Rb-1A	60 x 90	5	5

	Sign Name and Number	Size (cm)	Book	Section
MAXIMUM	MAXIMUM SPEE	D BEGINS		
50 BEGINS	Rb-2	60 x 90	5	5
MAXIMUM	MAXIMUM SPEEI	D, KM/H, BEGINS		
50	Rb-3	60 x 90	5	5
km/h BEGINS				
km/h	KM/H Tab			
	Rb-7t	20 x 60	5	5
	MAXIMUM SPEE	D AHEAD		
50	Rb-5	60 x 75	5	5
	SCHOOL ZONE M	IAXIMUM SPEED		
MAXIMUM 40 km/h	Rb-6	60 x 90	5	5

	Sign Name and Number	Size (cm)	Book	Section
	SCHOOL ZONE SPEED WHEN F			
TAT .	Rb-6A	60 x 140	5	5
MAXIMUM 40				
km/h				
WHEN FLASHING				



SCHOOL ZONE MAXIMUM SPEED WHEN FLASHING

Rb-106A 90 x 210 5 5

NO STRAIGHT THROUGH

Rb-10 60 x 60 5 6



NO STRAIGHT THROUGH (Specified Times)

Rb-10A 60 x 90 5 6

	Sign Name and Number	Size (cm)	Book	Section
	NO RIGHT TURN			
	Rb-11	60 x 60	5	6
	NO RIGHT TURN	(Specified Times)		
7 AM - 9 AM 4 PM - 6 PM MON - FRI	Rb-11 A	60 x 90	5	6
	NO LEFT TURN			
	Rb-12	60 x 60	5	6
	NO LEFT TURN (S	Specified Times)		
7 AM - 9 AM 4 PM - 6 PM MON - FRI	Rb-12A	60 x 90	5	6
	NO STRAIGHT TH	HROUGH OR RIGH	IT TURN	I
	Rb-13	60 x 60	5	6
	NO STRAIGHT TH	irough or left	TURN	
	Rb-14	60 x 60	5	6

	Sign Name and Number	Size (cm)	Book	Section
	NO TURNS			
	Rb-15	60 x 60	5	6
	NO U-TURN			
	Rb-16	60x 60	5	6
BUSES EXCEPTED	BUSES EXCEPTED) Tab		
EXCEPTED	Rb-10t	30 x 60	5	6
	ONE WAY			
	Rb-21 Rb-121	30 x 90 60 x 180	5	7
	DO NOT ENTER			
	Rb-19	60 x 60	5	7
DO NOT ENTER	DO NOT ENTER Ta	b		
	Rb-19t	30 x 60	5	7
	DO NOT ENTER/V	VRONG WAY		
	Rb-20	60 x 120	5	7
WRONG WAY				


	Sign Name and Number	Size (cm)	Book	Section
	TWO-WAY TRAFF	TIC		
↓¦ I	Rb-24 Rb-124	60 x 75 60 x 90	5	8
	KEEP RIGHT			
7	Rb-25 Rb-125	60 x 75 60 x 90	5	8
THROUGH	THROUGH TRAFF	IC KEEP RIGHT		
TRAFFIC KEEP RIGHT	Rb-27 Rb-127	60 x 75 90 x 120	5	8
	DO NOT PASS			
	Rb-31	60 x 60	5	8
	PASSING PERMIT	TED		
	Rb-35	60 x 60	5	8
PASS	PASS WITH CARE	E Tab		
WITH CARE	Rb-35t	30 x 60	5	8

	Sign Name and Number	Size (cm)	Book	Section
KEEP	KEEP RIGHT EX (Rb-33	CEPT TO PASS 90 x 120	5	8
RIGHT EXCEPT TO PASS	KU-33	90 X 120	5	0
SLOWER	SLOWER TRAFF	IC KEEP RIGHT		
TRAFFIC KEEP RIGHT	Rb-34	90 x 120	5	8
	PASSING LANE	2 KM AHEAD		
2 km	Rb-30	90 x 120	5	8
YIELD	YIELD CENTRE I	LANE TO OPPOSI	NG TRAFI	FIC
CENTRE LANE TO OPPOSING TRAFFIC	Rb-36	90 x 150	5	8

	Sign Name and Number	Size (cm)	Book	Section
STOP FOR SCHOOL BUS WHEN SIGNALS FLASHING	STOP FOR SCHOWHEN SIGNALS Rb-37		5	8
BOTH DIRECTIONS	BOTH DIRECTION	NS Tab 30 x 240	5	8
	LEFT TURN ONL Rb-41	Y		9.1
LEFT LANE	LEFT LANE Tab	30 x 60	5	9.1
	RIGHT TURN ON Rb-42		5	9.1
RIGHT LANE	RIGHT LANE Tab	30 x 60	5	9.1
	STRAIGHT THRO	DUGH OR LEFT T 60 x 60	T URN ONL 5	Y 9.1

	Sign Name and Number	Size (cm)	Book	Section
	STRAIGHT THRO	UGH OR RIGHT T	URN OI	NLY
	Rb-44	60 x 60	5	9.1
	LEFT OR RIGHT	TURN ONLY		
	Rb-45	60 x 60	5	9.1
	ALL MOVEMENTS	S PERMITTED		
	Rb-46	60 x 60	5	9.1
	STRAIGHT THRO	UGH ONLY		
	Rb-47	60 x 60	5	9.1
	TWO-WAY LEFT-	TURN LANE		
	Rb-48	90 x 90	5	9.1
	TWO-WAY LEFT-	TURN LANE, CEN	TRE LAN	IE ONLY
CENTRE LANE ONLY	Rb-48A	90 x 150	5	9.1

	Sign Name and Number	Size (cm)	Book	Section
	RESERVED BICYO Rb-84 Rb-184	CLE LANE (Overhea 60 x 60 90 x 90	ad) 5	9.2
THIS LANE	RESERVED BICYO Rb-84A Rb-184A	CLE LANE (Ground 60 x 60 90 x 90	-mounted 5	9.2
SYMBOL	RESERVED LANE (One Vehicle Class, Rb-85	: Overhead, No Days 90 x 90	and Time	es) 9.2
THIS LANE	RESERVED LANE (One Vehicle Class Rb-85A	: , Ground-mounted, N 90 x 90	No Days a	and Times) 9.2
SYMBOLS	RESERVED LANE (Multiple Vehicle C Rb-86	: lasses, Overhead, No 90 x 120	o Days an 5	d Times) 9.2





RESERVED LANE (One or Multiple Vehicle Class(es), Ground-mounted, Days and Times)

Rb-87A 90 x 150 5 9.2



3 OR MORE PERSONS

Rb-88 60 x 90 5 9.2

	Sign Name and Number	Size (cm)	Book	Section
BEGINS	BEGINS Tab			
	Rb-84t Rb-184t	20 x 60 30 x 90	5	5, 9.2, 11.1, 14
ENDS	ENDS Tab			
	Rb-85t Rb-185t	20 x 60 30 x 90	5	9.2, 11.1, 14
	NO PARKING			
	Rb-51 Rb-151	30 x 30 60 x 60	5	10.1
	NO PARKING (With Days)			
★ MON-FRI →	Rb-51 A Rb 151 A	30 x 30 60 x 60	5	10.1
	NO PARKING (With	n Davs and Times)		
9 AM - 4 PM	Rb-52 Rb-152	30 x 45 60 x 90	5	10.1
	NO PARKING, SNO	OW ROUTE		
SNOW ROUTE	Rb-57 Rb-157	30 x 45 60 x 90	5	10.1
	NO PARKING, EMERGENCY PARKING ONLY			
EMERGENCY PARKING ONLY	Rb-58	60 x 90	5	10.1

	Sign Name and Number	Size (cm)	Book	Section
P	PARKING RESTRIC	CTED (With Days, 1	imes, D	uration)
30 M 9 AM - 6 PM	Rb-53 Rb-153	30 x 45 60 x 90	5	10.1
NO	NO STANDING			
STANDING	Rb-54 Rb-154	30 x 30 60 x 60	5	10.1
NO STANDING 7AM - 9AM	NO STANDING (W	/ith Days and Times	5)	
7 AM - 7 AM 3 PM - 7 PM ★ MOIL-FRI ▶	Rb-54A Rb-154A	30 x 45 60 x 90	5	10.1
	NO STOPPING			
	Rb-55 Rb-155	30 x 30 60 x 60	5	10.1
	NO STOPPING (W	(ith Days)		
◆ MON-FRI →	Rb-55A Rb-155A	30 x 30 60 x 60	5	10.1
	NO STOPPING (W	ith Days and Times)	
7 AM - 9 AM 4 PM - 6 PM	Rb-56 Rb-156	30 x 45 60 x 90	5	10.1
	DISABLED PARKI	NG PERMIT		
BY PERMIT ONLY	Rb-93	30 x 45	5	10.2

	Sign Name and Number	Size (cm)	Book	Section
NO STANDING	DISABLED STANE	DING EXEMPTION		
BY PERMIT ONLY	Rb-94	30 x 60	5	10.2
	DISABLED STOPF	PING EXEMPTION		
BY PERMIT ONLY	Rb-95	30 x 75	5	10.2
	TRUCK ROUTE			
	Rb-61	60 x 60	5	11.1
	MOVEMENTS PE	RMITTED Tab		
Y	Rb-61t	45 x 60	5	11.1, 11.2, 11.3
★				
	NO HEAVY TRUC	KS		
	Rb-62	60 x 60	5	11.1
	NO HEAVY TRUCKS (With Time Restriction)			
7рм - 7ам	Rb-62A	60 x 75	5	11.1

Sign Name and Number	Size (cm)	Book	Section
LANGUE DEC	TDICTION (Trucks	Overboad	
Rb-39	TRICTION (Trucks,	5	11.1
LANE USE RES Rb-39A	TRICTION (Trucks 90 x 150	, Ground-m 5	ounted) 11.1



LANE USE RESTRICTION (Length-based, Overhead)

Rb-40 90 x 150 5 11.1

	Sign Name and Number	Size (cm)	Book	Section
	LANE USE RESTR (Length-based, Gro			
OVER 6.5 m THIS LANE	Rb-40A	90 x 150	5	11.1
MAXIMUM WEIGHT	MAXIMUM TONN	NES (Single Gross V	Veight)	
10 tonnes	Rb-63 Rb-163	60 x 75 60 x 90	5	11.1
MAXIMUM	MAXIMUM TONN	NES (Differentiated L	oy Truck	Туре)
00 00 00 tonnes	Rb-63A	90 x 120	5	11.1
LOAD	LOAD RESTRICTI	ON IN EFFECT		
RESTRICTION IN EFFECT 5 tonnes per axle	Rb-76	60 x 75	5	11.1
CLASS	CLASS B ROAD			
B ROAD	Rb-77	60 x 60	5	11.1

Sign Name

	and Number	Size (cm)	Book	Section
TRUCKS ENTER	TRUCKS ENTER WHEN LIGHTS F	INSPECTION STA	ATION	
INSPECTION STATION WHEN LIGHTS FLASHING	Rb-96	120 x 240	5	11.1
407 ETR Express Toll Route	VEHICLES OVER MUST HAVE VA	5 TONNES LID TRANSPOND	ER	
Vehicles Over 5 Tonnes Must Have Valid Transponder	Rb-97 Rb-197	120 x 240 240 x 540	5	11.1
	DANGEROUS GO	OODS ROUTE		
	Rb-82	60 x 60	5	11.2
DANGEROUS	DANGEROUS GO	OODS ROUTE Tab)	
GOODS ROUTE	Rb-82t	30 x 60	5	11.2
	NO DANGEROUS	S GOODS		
	Rb-83	60 x 60	5	11.2
DANGEROUS Goods Carriers	DANGEROUS GO	OODS CARRIERS	PROHIBIT	Γ ED Tab
PROHIBITED	Rb83t	45 x 60	5	11.2

	Sign Name and Number	Size (cm)	Book	Section
SCHOOL BUS	SCHOOL BUS LOA	DING ZONE		
LOADING ZONE ———		30 x 45 45 x 60	5	11.3
	NO TRACTORS			
	Rb-60	60 x 60	5	11.3
	BICYCLE ROUTE			
	Rb-69 (off-road only) Rb-169 (illustrated)	45 x 45 60 x 60	5	11.3
	NO BICYCLES			
	Rb-67	60 x 60	5	11.3
	NO PEDESTRIANS	OR BICYCLES		
Se	Rb-68	60 x 60	5	11.3
	SNOWMOBILE RO	UTE		
	Rb-64	60 x 60	5	11.3
	NO SNOWMOBILE	S		
	Rb-65	60 x 60	5	11.3

	Sign Name and Number	Size (cm)	Book	Section
	NO RIGHT TURN Rb-79R		5	12
	NO LEFT TURN O		5	12
STOP HERE ON RED SIGNAL	STOP HERE ON R Rb-78		5	12
ADVANCED GREEN WHEN FLASHING	ADVANCED GREE			12
LEFT TURN SIGNAL	LEFT TURN SIGN Rb-81	AL 45 x 60	5	12

	Sign Name and Number	Size (cm)	Book	Section
CONSTRUCTION ZONE BEGINS	CONSTRUCTION Rb-90A	ZONE BEGINS 60 x 90	5 7	13 6.1
CONSTRUCTION ZONE ENDS	CONSTRUCTION Rb-90B	ZONE ENDS 60 x 90	5 7	13 6.1
TO ONCOMING TRAFFIC	YIELD TO ONCOM Rb-91	JING TRAFFIC 90 x 120	5 7	13 6.1
ROAD CLOSED	ROAD CLOSED Rb-92	90 x 120	5 7	13 6.1

	Sign Name and Number	Size (cm)	Book	Section
COMMUNITY	COMMUNITY SAF	ETY ZONE / FINE	S INCR	EASED
SAFETY ZONE FINES INCREASED	Rc-9	60 x 90	5	14
WALK ON LEFT	WALK ON LEFT FA	ACING TRAFFIC		
FACING TRAFFIC	Rc-1	45 x 60	5	16
NO FISHING FROM	NO FISHING FROM	M BRIDGE		
BRIDGE	Rc-2	45 x 60	5	16
VEHICLES WITH LUGS	VEHICLES WITH L	UGS PROHIBITED)	
PROHIBITED	Rc-3	45 x 60	5	16
	NO LITTERING			
	Rc-4	60 x 60	5	16
*	MAXIMUM FINE F	OR LITTERING Tab)	
\$200	Rc-4t	30 x 60	5	16
	NO LITTERING AN	ID MAXIMUM FIN	E FOR I	LITTERING
	Rc-4A	60 x 90	5	16
\$200				

	Sign Name and Number	Size (cm)	Book	Section
	NO IN-LINE SKATING			
	Rc-10	60 x 60	5	16
KEEP OFF	KEEP OFF MEDIA	11 45 x 75 5 16		
MEDIAN	Rc-11	45 x 75	5	16
	NO PEDESTRIANS			
	Rc-12	60 x 60	5	16
	FASTEN SEAT BELT			
	Rc-13	60 x 60	5	16
COMPULSORY	COMPULSORY Tal	0		
	Rc-13t	20 x 60	5	16

3. Warning Signs (Book 6)

	Sign Name and Number	Size (cm)	Book	Section		
	TURN					
	Wa-1L (or R) Wa-101 L (or R)	60 x 60 75 x 75	6	2		
	SHARP CURVE	SHARP CURVE				
	Wa-2L (or R) Wa-102L (or R)	60 x 60 75 x 75	6	2		
	CURVE					
1	Wa-3L (or R) Wa-103L (or R)	60 x 60 75 x 75	6	2		
	SHARP REVERS	SHARP REVERSE CURVE				
5	Wa-4L (or R) Wa-104L (or R)	60 x 60 75 x 75	6	2		
<u> </u>	REVERSE CURV	E				
	Wa-5L (or R) Wa-105L (or R)	60 x 60 75 x 75	6	2		

	Sign Name and Number	Size (cm)	Book	Section	
60	ADVISORY SPEE	ADVISORY SPEED Tab			
km/h	Wa-7t	45 x 45	6	2, 4, 8	
•	WINDING ROAD	WINDING ROAD			
	Wa-6L (or R) Wa-106L (or R)	60 x 60 75 x 75	6	2	
FORkm	HAZARD LENGT	HAZARD LENGTH Tab			
	Wa-6t	30 x 60	6	2, 4, 8	
	CHECKERBOARI	CHECKERBOARD			
	Wa-8 Wa-108	75 x 75 90 x 90	6	2	
	CHECKERBOARI	CHECKERBOARD (One Direction)			
	Wa-8L (or R) Wa-108L (or R)	90 x 90 120 x 120	6	2	
	CHECKERBOARI	CHECKERBOARD (Both Directions)			
	Wa-8LR Wa-108LR	90 x 90 120 x 120	6	2	

Sign Name and Number	Size (cm)	Book	Section		
CHEVRON ALIGNMENT					
Wa-9 Wa-109	45 x 60 60 x 75	6	2		
DOUBLE ARROV	DOUBLE ARROW				
Wa-17	60 x 60	6	2		
INTERSECTION	INTERSECTION (Uncontrolled)				
Wa-11	60 x 60	6	3		
INTERSECTION	INTERSECTION (Uncontrolled)				
Wa-12	60 x 60	6	3		
INTERSECTION	INTERSECTION (Uncontrolled)				
Wa-13	60 x 60	6	3		
T-INTERSECTIO	T-INTERSECTION (Uncontrolled)				
Wa-14	60 x 60	6	3		
Y-INTERSECTION (Uncontrolled)					
Wa-15	60 x 60	6	3		

	Sign Name and Number	Size (cm)	Book	Section		
	INTERSECTION	INTERSECTION (Controlled)				
+	Wa11 A Wa-111 A	60 x 60 75 x 75	6	3		
	INTERSECTION	INTERSECTION (Controlled)				
	Wa-12A Wa-112A	60 x 60 75 x 75	6	3		
	INTERSECTION	INTERSECTION (Controlled)				
F	Wa-13A Wa-113A	60 x 60 75 x 75	6	3		
	Y-INTERSECTION (Controlled)					
	Wa-15A Wa-115A	60 x 60 75 x 75	6	3		
HIDDEN	HIDDEN INTERSECTION Tab					
	Wa-18t Wa-118t	30 x 60 45 x 90	6	3		
300 m	DISTANCE Tab					
	Wa-23t Wa-123t	30 x 60 45 x 90	6	3, 6		

	Sign Name and Number	Size (cm)	Book	Section		
	MERGE					
	Wa-16 Wa-116 Wa-1116	75 x 75 90 x 90 120 x 120	6	3		
	DIVIDED ROAD	DIVIDED ROAD INTERSECTION AHEAD				
	Wa-72	75 x 75	6	3		
	CROSS TRAFFI	CROSS TRAFFIC DOES NOT STOP				
CROSS TRAFFIC DOES NOT STOP	Wa-19	90 x 90	6	3		
AFTER	AFTER (MONTH					
DEC. 12	Wa-19t	45 x 75	6	3		
DO NOT	DO NOT BLOCK	DO NOT BLOCK INTERSECTION				
BLOCK INTERSECTION	Wa-73	60 x 90	6	3		
	STEEP HILL	STEEP HILL				
12%	Wa-21 Wa-121	75 x 75 90 x 90	6	4		

	Sign Name and Number	Size (cm)	Book	Section		
USE LOWER	USE LOWER GE	EAR Tab				
GEAR	Wa-21t	45 x 75	6	4		
	BUMP					
	Wa-22	60 x 60	6	4		
	BUMP AHEAD					
	Wa-22A	60 x 60	6	4		
BUMP	BUMP Tab					
	Wa-22t	22.5 x 45	6	4		
	SPEED HUMP					
	Wa-74	45 x 45	6	4		
SPEED HUMP	SPEED HUMP T	āb				
	Wa-74t	22.5 x 45	6	4		
	NARROW STR	NARROW STRUCTURE				
	Wa-24 Wa-124	75 x 75 90 x 90	6	4		

	Sign Name and Number	Size (cm)	Book	Section
ONE LANE ONLY WHEN USED BY TRUCKS	ONE LANE ONLY Wa-24A	WHEN USED B Y 90 x 90	/ TRUCKS 6	4
ONE LANE	ONE LANE Tab Wa-24t	45 x 60	6	4
NARROW BRIDGE	NARROW BRIDG	E Tab 30 x 60	6	4
	LANE ENDS Wa-23L (or R) Wa-123L (or R)	75 x 75 90 x 90	6	4
1500 m	LANE ENDS (Over		6	4

	Sign Name and Number	Size (cm)	Book	Section		
RIGHT	RIGHT LANE ENDS	S Tab				
LANE ENDS	Wa-23Rt	60 x 60	6	4		
LEFT	LEFT LANE ENDS	Tab				
ENDS ENDS	Wa-23Lt	60 x 60	6	4		
	ROADWAY NARROWS					
	Wa-28 Wa-128	75 x 75 90 x 90	6	4		
ROAD	ROAD NARROWS	Tab				
NARROWS	Wa-28t	30 x 60	6	4		
	OPENING BRIDGE					
	Wa-30	90 x 90	6	4		
OPENING	OPENING BRIDGE	Tab				
BRIDGE	Wa-30t	45 x 75	6	4		

	Sign Name and Number	Size (cm)	Book	Section	
	TEMPORARY B	RIDGE			
TEMPORARY BRIDGE	Wa-30A	90 x 90	6	4	
3.9m	LOW CLEARAN	CE AHEAD XX M			
3.7111	Wa-26 Wa-126	60 x 60 90 x 90	6	4	
3.9m	LOW CLEARAN	CE XX M			
	Wa-27	60 x 90	6	4	
	OVERHEIGHT (\	With Amber Flasher	rs)		
OVERHEIGHT	Wa-76 Wa-176	90 x 90 120 x 120	6	4	
WHEN	WHEN FLASHII	NG Tab			
FLASHING	Wa-76t Wa-176t	45 x 90 60 x 120	6	4	
	PAVEMENT ENDS				
	Wa-25 Wa-125	75 x 75 90 x 90	6	4	
\checkmark					

	Sign Name and Number	Size (cm)	Book	Section		
PAVEMENT	PAVEMENT ENDS	S Tab				
ENDS	Wa-25t Wa-125t	30 x 60 45 x 90	6	4		
SOFT	SOFT SHOULDERS					
SHOULDERS	Wa-29	60 x 60	6	4		
NO	NO EXIT					
EXIT	Wa-31	45 x 45	6	4		
	RAMP SPEED KN	/I/H				
50	Wa-32 Wa-132 Wa-1132	60 x 90 90 x 120 150 x 210	6	4		
km/h						
	RAMP SPEED XX					
50	Wa-32A Wa-132A	60 x 75 90 x 120	6	4		
km/h	KM/H Tab					
	Wa-32t Wa-132t	20 x 60 30 x 90	6	4		

	Sign Name and Number	Size (cm)	Book	Section	
	TRUCK OVERTU	JRNING			
	Wa-75 Wa-175	75 x 75 90 x 90	6	4	
	OBJECT MARKE	ER (One Direction)			
	Wa-33L	30 x 90	6	4	
	OBJECT MARKE	ER (One Direction)			
	Wa-33R	30 x 90	6	4	
	OBJECT MARKE	ER (Both Directions	s)		
	Wa-33LR	45 x 90	6	4	
MAXIMUM	MAXIMUM TONNES ADVISORY (Single Gross Weight)				
10 tonnes	Wa-63	60 x 75	6	4	

	Sign Name and Number	Size (cm)	Book	Section
MAXIMUM 00 00 00 tonnes	MAXIMUM TONN (Differentiated By T Wa-63A		6	4
	DIVIDED ROAD B Wa-34		6	5
DIVIDED ROAD BEGINS	DIVIDED ROAD B Wa-34t	EEGINS Tab 60 x 60	6	5
	DIVIDED ROAD E Wa-35		6	5
DIVIDED ROAD ENDS	DIVIDED ROAD E Wa-35t	NDS Tab 60 x 60	6	5

	Sign Name and Number	Size (cm)	Book	Section
	RIGHT LANE EXITS LEFT LANE EXITS Wa-5OR (or L)	S (Freeway)	6	5
	RIGHT LANE EXI or LEFT LANE EX (Freeway) Wa-51 R (or L)	(ITS, NEXT LANE	E EXIT OR	THROUGH
	TWO RIGHT LAN TWO LEFT LANE Wa-52R (or L)		6	5
1777	TWO RIGHT LAN NEXT LANE EXIT TWO LEFT LANE NEXT LANE EXIT Wa-53R (or L)	OR THROUGH		5

	Sign Name and Number	Size (cm)	Book	Section
	THREE RIGHT LA THREE LEFT LAI Wa-54R (or L)	ANES EXIT or NES EXIT (Freewa 120 x 150	-	5
RIGHT LANE EXITS	RIGHT LANE EX LEFT LANE EXIT Wa-56R (or L) Wa-156R (or L)	S (Non-freeway) 90 x 90	6	5
TWO RIGHT LANES EXIT	TWO RIGHT LAI TWO LEFT LANI Wa-57R (or L) Wa-157R (or L)	NES EXIT or ES EXIT (Non-freev 90 x 120 120 x 150		5
THREE RIGHT LANES EXIT	THREE RIGHT LA THREE LEFT LAI Wa-58R (or L) Wa-158R (or L)	NES EXIT (Non-fre	eway) 6	5
	STOP AHEAD Wb-1 Wb-101 Wb-1101	75 x 75 90 x 90 120 x 120	6	6

	Sign Name and Number	Size (cm)	Book	Section	
	YIELD AHEAD				
	Wb-1A Wb-101 A	75 x 75 90 x 90	6	6	
^					
R	TRAFFIC SIGNA	ALS AHEAD			
	Wb-2 Wb-102	60 x 60 75 x 75	6	6	
	PREPARE TO STOP AT TRAFFIC SIGNALS AHEAD (With Amber Flashers)				
	Wb-102A	120 x 120	6	6	
PREPARE	PREPARE TO ST	OP WHEN FLASI	HING Tab		
TO STOP WHEN FLASHING	Wb-102At	75 x 120	6	6,8	
	NEW (For Stop, Y	ield and Signal Co	ntrol)		
NEW =	Wb-3	90	6	6	
	TWO MAY TO	FEIO ALIFAD			
	TWO-WAY TRA				
	Wb-4 Wb-104	75 x 75 90 x 90	6	6	

Sign Name and Number	Size (cm)	Book	Section		
KEEP RIGHT					
Wb-6	60 x 60	6	6		
RAMP METERED WHEN FLASHING (With Amber Flashers)					
Wb-7	75 x 75	6	6		
SCHOOL AREA					
Wc-1 Wc-101	60 x 60 80 x 80	6	7		
SCHOOL CROS	SING				
Wc-2 Wc-102	60 x 90 90 x 120	6	7		
SCHOOL CROS	SING Tab				
Wc-2t Wc-102t	45 x 60 45 x 90	6	7		
SCHOOL CROSSING AHEAD					
Wc-2A Wc-102A	60 x 90 90 x 120	6	7		
	SCHOOL CROS Wc-2t Wc-102t SCHOOL CROS Wc-2A Wc-2A Wc-2A	RAMP METERED WHEN FLASHII (With Amber Flashers) Wb-7	Number Size (cm) Book		

	Sign Name and Number	Size (cm)	Book	Section
CROSSING	CROSSING AHE	AD Tab		
AHEAD	Wc-2At Wc-102At	45 x 60 45 x 90	6	7
	PLAYGROUND A	AHEAD		
	Wc-3	75 x 75	6	7
	PEDESTRIANS A	\HEAD		
X	Wc-7	75 x 75	6	7
SENIORS	SENIORS Tab			
	Wc-7t	30 x 60	6	7
	OVERHEAD X (Also known as P	EDESTRIAN CRO	SSOVER)	
	Wc-20 Wc-120	40 x 90 60 x 180	6	7
WAIT	WAIT FOR GAP			
FOR GAP	Wc-28	45 x 60	6	7

	Sign Name and Number	Size (cm)	Book	Section	
TWO STAGE	TWO STAGE PE	EDESTRIAN CROS	SING		
PEDESTRIAN CROSSING	Wc-29	60 x 90	6	7	
	RAILWAY CROS	SSING AHEAD			
	Wc-4 Wc-104	75 x 75 120 x 120	6	8	
	RAILWAY CROS	SSING AHEAD (On	Crossroad	or Sideroad)	
	Wc-4B Wc-104B	75 x 75 120 x 120	6	8	
	PREPARE TO STOP AT RAILWAY CROSSING AHEAD (With Amber Flashers)				
	Wc-104A	120 x 120	6	8	
PREPARE	PREPARE TO ST	TOP WHEN FLASH	HING Tab		
TO STOP WHEN FLASHING	Wb-102At	75 x 120	6	8	
	SLIPPERY WHEN WET				
	Wc-5 Wc-105	75 x 75 90 x 90	6	8	

	Sign Name and Number	Size (cm)	Book	Section	
	SLIPPERY WHEN	N WET Tab			
SLIPPERY WHEN WET	Wc-5t	30 x 60	6	8	
	FALLEN ROCK				
	Wc-6L (or R)	75 x 75	6	8	
WATCH FOR FALLEN ROCK	WATCH FOR FALLEN ROCK Tab				
	Wc-6t	30 x 60	6	8	
	TRUCK ENTRANCE				
	Wc-8R (or L) Wc-108R (or L)	75 x 75 90 x 90	6	8	
TRUCK	TRUCK ENTRANCE Tab				
ENTRANCE	Wc-8t	30 x 60	6	8	
	CATTLE CROSSING				
	Wc-9	60 x 60	6	8	

	Sign Name and Number	Size (cm)	Book	Section		
	SCHOOL BUS E	ENTRANCE				
	Wc-10R (or L)	75 x 75	6	8		
1	DEER CROSSIN	G				
	Wc-111 Wc-111	60 x 60 90 x 90	6	8		
	MOOSE CROSSING					
	Wc-12 Wc-112	60 x 60 90 x 90	6	8		
NIGHT DANGER	NIGHT DANGER Tab					
DANGER	Wc-12t	30 x 60	6	8		
	CEMETERY ENT	CEMETERY ENTRANCE				
CEMETERY ENTRANCE	Wc-13	90 x 90	6	8		
	BICYCLE CROS	BICYCLE CROSSING AHEAD				
0.40	Wc-14	60 x 60	6	8		

CENTRELINE MARKING ENDS
SNOWMOBILE CROSSING
WC-18 60 x 60 6 8 SNOWMOBILE CROSSING Tab WC-18t 30 x 60 6 8 WATER OVER ROAD WATER OVER ROAD Tab WATER OVER ROAD Tab WC-21t 30 x 60 6 8
SNOWMOBILE CROSSING Tab Wc-18t 30 x 60 6 8
WC-18t 30 x 60 6 8 WATER OVER ROAD WG-21 75 x 75 6 8 WATER OVER ROAD Tab WG-21t 30 x 60 6 8
WC-18t 30 x 60 6 8 WATER OVER ROAD Wc-21 75 x 75 6 8 WATER OVER ROAD Tab WC-21t 30 x 60 6 8
WATER OVER ROAD Tab Wc-21t 30 x 60 6 8
WATER OVER ROAD Tab Wc-21
OVER ROAD Wc-21t 30 x 60 6 8
Wc-21t 30 x 60 6 8
A CORRES WITH PIPER
HORSE WITH RIDER
Wc-22 60 x 60 6 8
HORSE-DRAWN VEHICLE
Wc-23 60 x 60 6 8

	Sign Name and Number	Size (cm)	Book	Section	
	FIRE TRUCK ENTR	ANCE			
	Wc-25R (or L)	75 x 75	6	8	
FIRE TRUCK ENTRANCE	FIRE TRUCK ENTRANCE Tab Wc-25t 30 x 60 6 8				
	Wc-25t	30 x 60	6	8	
	SCHOOL BUS STOP AHEAD				
₹ 1 min	Wc-26	75 x 75	6	8	
SCHOOL BUS STOP AHEAD	SCHOOL BUS STO	PP AHEAD Tab			
OTOF ATILAD	Wc-26t	30 x 60	6	8	

4. Temporary Conditions Signs (Book 7)

	Sign Name and Number	Size (cm)	Book	Section
	CONSTRUCTIO	N AHEAD		
CONSTRUCTION	TC-1 TC-101	90 x 90 120 x 120	7	6.1
	CONSTRUCTIO	N AHEAD 1 KM		
CONSTRUCTION 1 km	TC-1A TC-101A	90 x 90 120 x 120	7	6.1
	CONSTRUCTIO	N AHEAD 2 KM		
CONSTRUCTION 2 km	TC-1B TC-101B	90 x 90 120 x 120	7	6.1
	ROAD WORK (S	hort Duration)		
	TC-2A TC-102A	60 x 60 90 x 90	7	6.1
	(after January 1, 2	2003, the oversize s	sign must be	e used)

Sign Name and Number	Size (cm)	Book	Section
ROAD WORK (S	hort and Long Dura	ation)	
TC-2B TC-102B	75 x 75 90 x 90	7	6.1
(after January 1, 2	2003, the oversize s	sign must b	e used)
RIGHT LANE CL	OSED AHEAD		
TC-3R TC-103R	75 x 75 90 x 90	7	6.1
RIGHT LANE CL	OSED Tab		
TC-3Rt	60 x 60	7	6.1
LEFT LANE CLO	SED AHEAD		
TC-3L TC-103L	75 x 75 90 x 90	7	6.1
LEFT LANE CLO	SED Tab		
TC-3Lt	60 x 60	7	6.1
300 M Tab			
TC-3tA TC-103tA	30 x 60 45 x 90	7	6.1
	ROAD WORK (S TC-2B TC-102B (after January 1, 2) RIGHT LANE CL TC-3R TC-103R RIGHT LANE CL TC-3Rt LEFT LANE CLO TC-3L TC-103L LEFT LANE CLO TC-3Lt 300 M Tab TC-3tA	ROAD WORK (Short and Long Duration of Carlotter January 1, 2003, the oversize state	ROAD WORK (Short and Long Duration) TC-2B 75 x 75 TC-102B 90 x 90 7 (after January 1, 2003, the oversize sign must be RIGHT LANE CLOSED AHEAD TC-3R 75 x 75 TC-103R 90 x 90 7 RIGHT LANE CLOSED Tab TC-3Rt 60 x 60 7 LEFT LANE CLOSED AHEAD TC-3L 75 x 75 7 TC-103L 90 x 90 7 LEFT LANE CLOSED Tab 7 7 LEFT LANE CLOSED Tab 7 7 LO-3Lt 60 x 60 7 LEFT LANE CLOSED Tab 7 7

	Sign Name and Number	Size (cm)	Book	Section
	LANE CLOSURE	ARROW		
	TC-4L (or R) TC-104L (or R)	90 x 90 120 x 120	7	6.1
	DETOUR AHEAD)		
DETOUR	TC-5 TC-105 TC-1105	90 x 90 120 x 120 180 x 180	7	6.1
	DETOUR AHEAD) 1 KM		
DETOUR 1 km	TC-5A TC-105A TC-1105A	90 x 90 120 x 120 180 x 180	7	6.1
	DETOUR AHEAD) 2 KM		
DETOUR 2 km	TC-5B TC-105B TC-1105B	90 x 90 120 x 120 180 x 180	7	6.1
	DETOUR-TURN	OFF/DIVERSION		
	TC-7R (or L) TC-7R (or L) (urba	210 x 210 n) 120 x 120	7	6.1

	Sign Name and Number	Size (cm)	Book	Section	
ROAD CLOSED	ROAD CLOSED Ta	ıb			
	TC-7tA	25 x 210	7	6.1	
LOCAL TRAFFIC ONLY	LOCAL TRAFFIC ONLY Tab				
	TC-7tB	25 x 210	7	6.1	
	ROADSIDE DIVER	RSION WARNING	(One Arro	ow)	
	TC-9R (or L) TC-109R (or L)	75 x 75 90 x 90	7	6.1	
	ROADSIDE DIVERSION WARNING (Two Arrows)				
	TC-9L (2) (or R) TC-109L (2) (or R)	90 x 90 120 x 120	7	6.1	
	ROADSIDE DIVERSION WARNING (Three Arrows)				
\$ \$\$	TC-9R (3) (or L)	120 x 120	7	6.1	
FOLLOW DETOUR D-1	DETOUR DESIGN	ATION (Including D	DETOUR N	Marker)	
POLLOW D-1	TC-10 Sign	60 x 120 (Urban, 120 x 210 (Fwy)	, Non-Fwy 7	r) 6.1	
DETOUR	DETOUR Marker				
D-1	TC-10 TC-110	45 x 45 60 x 60	7	6.1	

	Sign Name and Number	Size (cm)	Book	Section
DETOUR	DETOUR Markers			
D-1	TC-10AR (or L)	45 x 45 (trapezoid) 30 x 45 (arrow)		
	TC110AR (or L)	60 x 60 (trapezoid)	7	6.1
DETOUR D-1	TC-10BR (or L)	45 x 45 (trapezoid) 30 x 45 (arrow)		
→	TC110BR (or L)	60 x 60 (trapezoid)	7	6.1
D=1	TC-10C	45 x 45 (trapezoid) 30 x 45 (arrow)		
↑	TC110C	60 x 60 (trapezoid)	7	6.1
DETOUR D-1	TC-10D	45 x 45 (trapezoid) 30 x 45 (arrow)		
ENDS	TC110D	60 x 60 (trapezoid)	7	6.1
DETOUR	TC-10ER (or L)	45 x 45 (trapezoid)		
D-1	TC110ER (or L)	30 x 45 (arrow) 60 x 60 (trapezoid) 45 x 60 (arrow)	7	6.1
DETOUR	TC-10FR (or L)	45 x 45 (trapezoid)		
D-1	TC110FR (or L)	30 x 45 (arrow) 60 x 60 (trapezoid) 45 x 60 (arrow)	7	6.1

	Sign Name and Number	Size (cm)	Book	Section	
NARROW LANES	Narrow Lani TC-11	90 x 90	7	6.1	
TRUCKS USE	TRUCKS USE C	ENTRE LANE Tab			
CENTRE LANE	TC-11t	45 x 75	7	6.1	
FORkm	FOR XX KM Tab				
	TC-11tA TC-111tA	30 x 60 45 x 90	7	6.1	
	FLASHING ARROW BOARD (Freeway) (Arrow Mode)				
	TC-12L (or R)	120 x 210	7	6.1	
	FLASHING ARR	OW BOARD (Free	way) (Bar N	1ode)	
•••••	TC-12	120 x 210	7	6.1	
	FLASHING ARROW BOARD (Non-freeway) (Arrow Mod				
	TC-12L (or R)	60 x 75	7	6.1	

 Sign Name and Number	Size (cm)	Book	Section
FLASHING ARROV	N BOARD (Non-fre	eway) (Ba	ar Mode)
TC-12	60 x 75	7	6.1
FLASHING ARROV	N BOARD (Striper)	(Arrow	Mode)
TC-12AL (or R)	60 x 150	7	6.1
FLASHING ARROV	N BOARD (Striper)	(Bar Mo	ode)
TC-12A	60 x 150	7	6.1
PAVEMENT ENDS			
TC-13	90 x 90	7	6.1
BUMP AHEAD			
TC-14	60 x 60	7	6.1
BUMP			
TC-15	60 x 60	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
	TURN			
	TC-16AL (or R) TC-116AL (or R)	60 x 60 75 x 75	7	6.1
	SHARP CURVE			
	TC-16BL (or R) TC-116BL (or R)	60 x 60 75 x 75	7	6.1
	CURVE			
	TC-16CL (or R) TC-116CL (or R)	60 x 60 75 x 75	7	6.1
	SHARP REVERSE	E CURVE		
	TC-16DL (or R) TC-116DL (or R)	60 x 60 75 x 75	7	6.1
	REVERSE CURVE	E (One Arrow)		
	TC-16EL (or R) TC-116EL (or R)	60 x 60 75 x 75	7	6.1
	REVERSE CURVE	E (Two Arrows)		
11	TC-16EL (2) (or R) TC-116EL (2) (or R)	75 x 75 90 x 90	7	6.1
	REVERSE CURVE	(Three Arrows)		
111	TC-16EL (3) (or R) TC-116EL (3) (or R)	90 x 90 120 x 120	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
30	ADVISORY SPE	ED Tab		
km/h	TC-17t	45 x 45	7	6.1
	CHEVRON ALIG	SNMENT		
	TC-18 TC-118	45 x 60 60 x 75	7	6.1
	GROOVED PAV	EMENT		
	TC-19	90 x 90	7	6.1
GROOVED	GROOVED PAV	E MENT Tab		
PAVEMENT	TC-19t	45 x 75	7	6.1
	PREPARE TO ST	ТОР		
PREPARE TO STOP	TC-20 TC-120	75 x 75 90 x 90	7	6.1
	PREPARE TO ST	OP (With Amber F	lashers)	
PREPARE TO STOP	TC-20A TC-120A	75 x 75 90 x 90	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
WHEN	WHEN FLASHIN	NG Tab		
FLASHING	TC-20At TC-120At	45 x 75 60 x 90	7	6.1
	TRAFFIC CONTI	ROL PERSON (TC	P) AHEAD	
	TC-21 TC-121	60 x 60 90 x 90	7	6.1
	(after January 1, 2003, the oversize sign must be			
STOP SLOW	TRAFFIC CONTROL (STOP/SLOW Paddle)			
	TC-22	45 x 45	7	6.1
A	SIGNALS AHEA	.D		
	TC-23 TC-123	60 x 60 75 x 75	7	6.1
	REMOTE CONTI	ROL DEVICE AHE	AD	
	TC-23A TC-123A	60 x 60 75 x 75	7	6.1
PREPARE	PREPARE TO ST	OP Tab		
TO STOP	TC-23At	45 x 75	7	6.1
	UNEVEN LANES	5		
	TC-24 TC-124	75 x 75 90 x 90	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
WHEN FLASHING		WHEN FLASHING 75 x 150		6.1
	TRUCK ENTRAN		7	6.1
		90 x 90		0.1
	TC-31AL (or R)	90 x 90	7	6.1
	TEMPORARY BI	RIDGE		
	TC-32	90 x 90	7	6.1
TEMPORARY	TEMPORARY BI	RIDGE XX KM/H	Tab	
BRIDGE 30 km/h	TC-32t	60 x 90	7	6.1
LOW BRIDGE AHEAD TRUCKS OVER [] m	LOW BRIDGE AHEAD, TRUCKS OVER XX M USE NEXT EXIT			
USE NEXT EXIT	TC-33	90 x 240	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
	LOW CLEARANG	CE AHEAD XX M		
3.9m	TC-33A TC-133A	60 x 60 90 x 90	7	6.1
3.9m	LOW CLEARAN	CE XX M		
	TC-33B	60 x 90	7	6.1
	TWO-WAY TRA	FFIC		
111	TC-34	90 x 90	7	6.1
	RAMP CLOSED	AHEAD		
RAMP	TC-35	90 x 90	7	6.1
MAXIMUM	MAXIMUM SPE	ED Advisory		
50 km/h	TC-36	60 x 90	7	6.1
SOFT	SOFT SHOULD	ERS		
SHOULDERS	TC-37	60 x 60	7	6.1

	Sign Name and Number	Size (cm)	Book	Section
NO	NO EXIT			
EXIT	TC-39	45 x 45	7	6.1
*	PEDESTRIAN DIR	ECTION		
	TC-40L (or R)	45 x 45	7	6.1
CONSTRUCTION	CONSTRUCTION ZONE BEGINS (Formerly TC-			
ZONE	Rb-90A	60 x 90	7 5	6.1 13
BEGINS				
CONSTRUCTION	CONSTRUCTION	ZONE ENDS (Form	nerly TC-	41 B)
ZONE	Rb-90B	60 x 90	7 5	6.1 13
ENDS				
ENDS	YIELD			
ENDS	YIELD Ra-2		7 5	6.1
ENDS			7 5	
ENDS	Ra-2	75 x 75	7 5	

	Sign Name and Number	Size (cm)	Book	Section
	YIELD TO ONCOM	JING TRAFFIC (For	merly TC	:-43)
TO ONCOMING TRAFFIC	Rb-91	90 x 120	7 5	6.1 13
DO NOT USE RADIO	DO NOT USE RAI	DIO TRANSMITTE	R	
TRANSMITTER	TC-44	60 x 90	7	6.1
RESUME USE	RESUME USE OF	RADIO TRANSMI	TTER	
OF RADIO TRANSMITTER	TC-45	60 x 90	7	6.1
	ROAD CLOSED (F	ormerly TC-46)		
ROAD CLOSED	Rb-92	90 x 120	7 5	6.1 13
	Traffic Cone			
	TC-51 A	45 (ht.)	7	6.2

	Sign Name and Number	Size (cm)	Book	Section
	Traffic Cone			
	TC-51 B	70 (ht)	7	6.2
	Traffic Cone			
	TC-51 C	100 (ht)	7	6.2
_				
	Construction Mark		_	
	TC-52	20 x 90	7	6.2
	Flexible Drum (Ba	rrel)		
	TC-54	100 (ht.)	7	6.2
	Barricade			
	TC-53A	20 x 140	7	6.2

	Sign Name and Number	Size (cm)	Book	Section
	Barricade TC-53B	2 x (20 x 130)	7	6.2
8 OPEN To Forkes Rd.	NEW ROADWAY (NEW ROADWA	Y OPEN Y OPEN TO ABC RO 120 x 210	OAD) 7	6.3
THROUGH TRAFFIC USE 8 TO 21	ALTERNATE HIC (THROUGH TRA	GHWAY ROUTE AFFIC USE ROUTE X 120 x 240	XX TO R	OUTE YY) 6.3
EXIT TO KEELE ST. TO BE CLOSED FROM MAY 2001		G/RESTRICTION NO REET TO BE CLOSED 120 x 240		
THIS STREET WILL BE CLOSED JAN 10 FOR 2 WEEKS	ROAD CLOSING (THIS STREET W	S NOTICE VILL BE CLOSED MM 120 x 120	/DD FOR 7	JJ WEEKS) 6.3
8 CLOSED AT KING ST.	HIGHWAY SECT (HIGHWAY XX (FION CLOSED CLOSED AT ABC S ⁻¹	TREET) 7	6.3

	Sign Name and Number	Size (cm)	Book	Section
JEFFERSON ST. CLOSED AT	STREET SECTIO (ABC STREET C	LOSED AT DEF A	VENUE)	
BROADWAY AVE.	TC-67	120 x 210	7	6.3
A TRANSPORTATION DEVELOPMENT PROJECT IN CO-OPERATION WITH	CONTRACT IDE	NTIFICATION (Join	nt Project)	
Transport \$1,000,000 Province Of Ontario \$750,000 City of \$250,000 \$100,000	TC-72A	120 x 210	7	6.3
A TRANSPORTATION DEVELOPMENT PROJECT IN CO-OPERATION WITH	CONTRACT IDE	NTIFICATION (Join	nt Project)	
Transport \$1,000,000 Canada \$750,000	TC-72B	120 x 210	7	6.3
ROAD UNDER CONSTRUCTION FOR km	CONTRACT IDE (Connecting Link I			
This Project FY THE TOWN of WITH A CONTRIBUTION OF% BY Province Of Ontario	TC-73A	150 x 240	7	6.3
A HWY. CONNECTING LINK PROJECT				
ROAD UNDER CONSTRUCTION FOR km	CONTRACT IDE (Development Roa			
This Project BY THE Township of WITH A CONTRIBUTION OF% BY Province Of Ontario	TC-73B	150 x 240	7	6.3
DEVELOPMENT ROAD No				

Book 1, Appendix A • Illustrated Sign and Signal Display Index

	Sign Name and Number	Size (cm)	Book	Section
LONDON	CONTRACT IDEN	NTIFICATION (Mun	icipal Proj	ect)
PROJECT NO. 64-22 STORM AND SANITARY SEWERS DUNDAS STREET COMSULTANT CITY ENGINEER CONTRACTOR	TC-74	120 x 180	7	6.3
JOHN DOE CONTRACTING CO. LTD.	CONTRACTOR'S	IDENTIFICATION		
289-3456	TC-75	90 x 180 max.	7	4.2

5. Directional Guide Signs (Book 8)

The signs in Book 8 vary greatly in size. The larger signs are shown scaled approximately in relative proportion to each other. The smaller signs are similarly scaled in relative proportion to each other.

	Sign Name and Number	Size (cm)	Book	Section
Trafalgar Rd. Georgetown Oakville 1 km	Advance Guide G.f-1	270 x var.	8	4.5
	Interchange Numb	oer Tab		
204 204A 204 A-B	G.f-2a G.f-2b G.f-2c	60 x 240 60 x 300 60 x 300	8	4.5
Trafalgar Rd.	Turn-off			
Georgetown Oakville	G.f-3	210 x var.	8	4.5
EXIT 204 204	Exit (Ground-mount	red)		
	G.f-4a G.f-4b G.f-4c	120 x 150 120 x 150 120 x 180	8	4.5

	Sign Name and Number	Size (cm)	Book	Section	
	Interchange Seq	lllence			
McCowan Rd. 500 m 48 Markham Rd. 4 km	G.f-5	210 x var.	8	4.5	
TOWN OF	Municipality				
Lincoln POPULATION 2000	G.f-6 G.f-106	120 x 240 180 x var.	8	4.5	
Woodstock	Municipality				
POPULATION 33333 4 INTERCHANGES	G.f-7 G.f-107	150 x var. 210 x var.	8	4.5	
Ottawa	Municipality				
POPULATION III	G.f-8 G.f-108	120 x var. 150 x var.	8	4.5	
St. Catharines	Downtown, City (Town) Centre, Business Section				
Downtown FOLLOW Ontario St.	G.f-9	240 x var.	8	4.5	
	Composite – Sei	rvices			
	G.f-10	150 x 300	8	4.5	
SERVICE CENTRE	Service Centre				
	G.f-16	120 x 150	8	4.5	

	Sign Name and Number	Size (cm)	Book	Section
SERVICE 🛒	Service Centre			
CENTRE •	G.f-17	120 x 300	8	4.5
NEXT	Service Centre			
SERVICE CENTRE 66 km	G.f-18	150 x 360	8	4.5
SERVICE CENTRE	2 km Advance Facilities (with Logos/Icons)			
2 km	G.f-20	300 x 480	8	4.5
	A 00111101100			
Kitchener 8 London 111	Assurance G.f-12	120 x var.	8	4.6
2	Distance Marker			
2 8 0	G.f-13	20 x 60	8	4.6
km C	Distance Marker	with km Tab		
2 8 0	G.f-13t	20 x 80	8	4.6, 6
	Route Markers ar	nd Trailblazers		
401	M.h-21	45.7 x 72.7	8	4.6

	Sign Name and Number	Size (cm)	Book	Section	
[Kan la	Roadway Identif	ication – Crossin	g Road		
Keele Street	G.f-14	60 x 120	8	4.6	
CAMDON RD.	Roadway Identif	ication and Direc	tion		
3 TRAFALGAR ROAD MORTH SOUTH ->	G.f-15	30 x 120 45 x 120	8	4.6	
217 7	Channelizing – Right Turn				
EAST MONTREAL	G.r-1	120 x var.	8	5.1	
401 EAST -	Turn-off – Right Turn				
KINGSTON	G.r-2	90 x var.	8	5.1	
417	Channelizing – L	eft Turn			
WEST OTTAWA	G.r-3	120 x var.	8	5.1	
201 WEST	Turn-off				
401 WEST TORONTO	G.r-4	120 x var.	8	5.1	
Mest Conc. 9	Turn-off				
	G.r-5 G.r-105	45 x 150 60 x var.	8	5.1	

	Sign Name and Number	Size (cm)	Book	Section
Bowesville Rd. Atlas Road	Turn-off G.r-6 G.r-106	30 x var. 60 x var.	8	5.1
Alice Twp. Road 25	Turn-off G.r-7 G.r-107	45 x var. 60 x var.	8	5.1
Forkes Road Forkes Road	Turn-off G.r-8 G.r-108	45 x var. 60 x var.	8	5.1
	Advance G.r-9	90 x var.	8	5.1
21 / 21 -	Turn-off G.r-10	90 x var.	8	5.1

	Sign Name and Number	Size (cm)	Book	Section
Westhill Rd. Westhill Road Westhill Road Westhill Rd. 1 km	Advance G.r-11	60 x var.	8	5.1
Lloydtown Rd. — EAST WEST SOUTH 21 NORTH	Turn-off G.r-12	90 x 240	8	5.1
↑ WYEVALE 8	Destination Finge	rboard		
	G.d-1	30 x var.	8	5.2
ORCHARDS 8	Destination Finge	erboard		
	G.d-2	20 x var.	8	5.2
↑ WYEVALE	Destination Tab	20	0	F. 2
	G.d-3	30 x var.	8	5.2
ORCHARDS -	Destination Tab			
CALEDON EAST → HORNBY ✓	G.d-4	30 x var.	8	5.2
HORNBY	Destination Tab			
CALEDON EAST 🖍	G.d-5	60 x var.	8	5.2

	Sign Name and Number	Size (cm)	Book	Section
→ HORNBY → ORCHARDS	Destination Tab			
CALEDON EAST 🐔	G.d-6	90 x var.	8	5.2
↑ BRONTE	Destination			
BRONTE →	G.d-7	60 x var. 90 x var.	8	5.2
↑ FAIRBANK	Destination			
← FLETCHER	G.d-8	90 x var.	8	5.2
PETERBOROUGH 🗡				
MINOR MUNIC.	Destination			
MAJOR MUNIC.	G.d-9	90 x var.	8	5.2
↑ MAJOR MUNIC. MINOR MUNIC. →				
↑ BARRIE	Destination			
→ ORILLIA MIDLAND →	G.d-10	120 x var.	8	5.2
↑ BARRIE				
← ORILLIA MIDLAND →				

	Sign Name and Number	Size (cm)	Book	Section
← MAJOR MUNIC.	Destination			
MINOR MUNIC. MINOR MUNIC.	G.d-11	120 x var.	8	5.2
↑ MAJOR MUNIC. ← MAJOR MUNIC. MINOR MUNIC. →				
KAPUSKASING 40 km	Auxilliary Assuran	ce		
40 Km	G.d-12	30 x var.	8	5.2
KITCHENER 72	Assurance			
LONDON 164	G.d-13	90 x var.	8	5.2
HAMILTON ←	Urban Destination	(1 Name)		
	G.d-14	60 x var.	8	5.2
↑ WINDSOR	Urban Destination	(2 Names)		
NIAGARA →	G.d-15	60 x var.	8	5.2
↑ LONDON ← HAMILION	Urban Destination (3 Names)			
KITCHENER →	G.d -16	60 x var.	8	5.2

	Sign Name and Number	Size (cm)	Book	Section
BRACEBRIDGE TOWN CENTRE 16 km	Municipality Centr G.d-17	e /Population Cer 120 x 240	ntre Off 8	Highway 5.2
TOWN CENTRE	Municipality Centre	e/Off Highway Ta	b	
	G.d-17t	30 x 240	8	5.2
TIMMINS	Municipality Centre/Population Centre On Highway			
CITY CENTRE 16 km	G.d-18	120 x 240	8	5.2
TOWN OF Richmond Hill	Municipality			
POPULATION 40 000	G.I-1	90 x var.	8	5.3
FAIRBANK	Municipality			
POPULATION 2800	G.I-2	75 x var.	8	5.3
FLETCHER	Hamlet			
	G.I-3	60 x var.	8	5.3
DISTRICT	County or District	Boundary		
ALGUMA	G.I-4	60 x var.	8	5.3

	Sign Name and Number	Size (cm)	Book	Section
REGIONAL MUNICIPALITY Ottawa-Carleton	Regional Municip G.I-5 G.I-105	ality 90 x 240 180 x var.	8	5.3
KAPUSKASING RIV.	River or Lake	45 x var.	8	5.3
Serpent River FIRST NATION	First Nation G.I-7	60 x var.	8	5.3
CARPOOL	Car Pool G.or-11	120 x 180	8	5.4
CARPOOL P	Car Pool G.or-12	60 x 120	8	5.4

	Sign Name and Number	Size (cm)	Book	Section
	King's Highway N	otice		
NOTICE UNER MUNICAL SINUE FRANCS ARE REQUIRES FRA ERITARICES, SULUEMOS AND SINUS ALMACENT TO THE CHIEFS A REGINNY AND SCENDARY REGINNATS. FRA REVERMENTAL CHIEFT PROPERTIES HORSELE FOR THE CHIEF PROPERTIES FOR REVERMENTAL CHIEFT PROPERTIES FOR THE CHIEFT	G.s-4	45 x 75	8	5.5
NOTICE AM INTERSECTION THE 'S HORN'S HEER HAVE AS HE HAVE AS	King's Highway N	otice		
SEGRACIE AT TIES APPRINTER LECUTION. UNICE PROPRICTA. STATUTE FEMBRIS ARE SERVINES FOR SERVINES AND SERVINES AND SERVE ANALEST IN THE KIND'S HORINAY AND SEERNAM REGINARY. FOR INFORMATION. BRIDER ANALEST IN THE RESIDENCY OF THE PROPRICTAL BRIDER OF TH	G.s-5	45 x 75	8	5.5
NOTICE THIS IS A CONTROLLER-ACCESS BIRDHAMAN.	Controlled Access	s Highway Notice		
HISTORYA. FOR INFORMATION WITH RESPECT TO RESPECT TO RESPECT AND REPORT OF THE PROPERTY OF THE	G.s-6	45 x 75	8	5.5
NOTICE M HITESCENIC GANTHILL-RAZESS	Controlled Access	s Highway Notice		
CHITALIZA ACCESS MIGHANI NE REE RESIGNATE N' THE REE RESIGNATE N' THE REE RESIGNATE N' THE REE RESIGNATION OF THE REE RESIDENT OF THE REE RESIDENT OF THE RESIDENT RE	G.s-7	45 x 75	8	5.5
NOTICE	Road Closing Notice			
THE ONTARIO MUNICIPAL BOARD HAS APPROVED THE CLOSING OF THIS ROAD AT THE CONTROLLED ACCESS HIGHWAY	G.s-10	60 x 90	8	5.5

	Sign Name and Number	Size (cm)	Book	Section
FOR INFORMATION CONTACT DISTRICT OFFICE TEL.	Road Closing Noti	ce Tab		
	G.s-10t	20 x 60	8	5.5
THIS ROAD	Road Closing			
WILL BE CLOSED ON	G.s-11	60 x 90	8	5.5
TRUCK	TRUCK INSPECTI	ON STATION 1 KM	/1	
INSPECTION STATION 1 km	G.s-15	120 x 120	8	5.5
INSPECTION _	INSPECTION STA	TION Turn-off		
STATION	G.s-17	90 x 210	8	5.5
NOTICE	Highway Number	ing Changes		
CHANGES TO TO TO TO TO TO TO TO TO T	G.h-1	120 x 240	8	6
APR. 1, 1986				

Sign Name and Number Size (cm) Book Section NOTICE **Highway Numbering Changes** G.h-2 120 x 240 8 6 CHANGES T0 **RATHBURN ROAD** APR. 1, 1986 **Highway Numbering Changes** NOTICE G.h-3 120 x 240 8 6 HWY. NUMBER TO BE **REMOVED** APR. 1, 1986

	Sign Name and Number	Size (cm)	Book	Section
NOTICE	Highway Numb	ering Changes		
RATHBURN ROAD	G.h-4	120 x 240	8	6
CHANGES TO SOURCE SOURC				
APR. 1, 1986				
TRANS CANADA	Trans Canada F	Highway Marker		
CENTARIO ROUTE LOS TARESTON	M.h-1	45 x 60	8	6
	Provincial Route	e Marker – Shield		
400	M.h-2	45.7 x 72.7	8	6
	Provincial Route	e Marker – Crown		
	M.h-3 M.h-1103	45 x 45 90 x 90	8	6
WELLAND/	County/Regiona	al Road Marker		
COUNTY	M.h-4	45 x 45	8	6

	Sign Name and Number	Size (cm)	Book	Section
「 NTARIO	Secondary Highwa	ay Route Marker		
<u>/500\</u>	M.h-5 M.h-1105	45 x 45 90 x 90	8	6
800	Tertiary Road Marl	ker		
	M.h-6	30 x 45	8	6
	Macdonald Cartie	r Freeway Marker		
M-C FREEWAY	M.h-7	45.7 x 72.7	8	6
—	Advance Turn Marker Tab			
	M.h-8t M.h-108t M.h-1008t M.h-1108t	30 x 45 45 x 60 60 x 75 60 x 90	8	6
	Advance Turn Ma	rker Tab		
	M.h-9t M.h-109t M.h-1009t M.h-1109t	30 x 45 45 x 60 60 x 75 60 x 90	8	6
	Route Direction M	larker Tab		
	M.h-10t M.h-1110t	30 x 45 60 x 90	8	6
	Turn-off Marker Tal	0		
	M.h-11 t M.h-1111 t	30 x 45 60 x 90	8	6

	Sign Name and Number	Size (cm)	Book	Section
	Turn-off Marker	Tab		
	M.h-12t M.h-1112t	30 x 45 60 x 90	8	6
EAST	Cardinal Directi	on Marker Tab		
	M.h-13t M.h-1113t	30 x 45 60 x 90	8	6
North	Combined Direction and Turn Marker Tab			
South	M.h-14t M.h-1114t	45 x 45 90 x 90	8	6
SOUTH	Combined Direction and Advance Turn Marker To			
	M.h-15t M.h-1115t	45 x 45 90 x 90	8	6
WEST	Combined Direct	ction and Turn-of	f Marker Ta	b
T	M.h-16t M.h-1116t	45 x 45 90 x 90	8	6
BUSINESS	Business Market	⁻ Tab		
	M.h-17t	30 x 45	8	6
ENDS	ENDS, End of R	oute Marker Tab		
	M.h-18t	30 x 45	8	6
JCT	Junction Marker	Tab		
	M.h-19t	30 x 45	8	6

	Sign Name and Number	Size (cm)	Book	Section		
JUNCTION	Junction Marker	⁻ Tab				
	M.h-20t	30 x 90	8	6		
	Highway Trailbl	azer – Shield				
T0 401	M.h-21	45.7 x 72.7	8	6		
TO TO	Highway Trailbl	azer – Crown				
401	M.h-22 M.h-1122	45 x 45 90 x 90	8	6		
TO	QEW Trailblaze	QEW Trailblazer – Shield				
QEW	M.h-23	45.7 x 72.7	8	6		
TO	QEW Trailblaze	r – Crown				
QEW	M.h-24 M.h-1124	45 x 45 90 x 90	8	6		
	Secondary High	nway Trailblazer				
<u>/501\</u>	M.h-25	45 x 45	8	6		
	Destination Mar	ker Tab				
HAMILTON	M.h-26t	30 x 45				
FT. ERIE	M.h-126t M.h-1126t	60 x 90 45 x 45	8	6		
-						

	Sign Name and Number	Size (cm)	Book	Section
FORMERLY				
100	"Formerly" Mark	er Tab		
	M.h-27t	45 x 45	8	6
EXIT 1 km	"Exit 1 km" Mar	ker Tab		
	M.h-28t	30 x 45		
	M.h-128t	45 x 60		
	M.h-1028	60 x 75		
	M.h-1128	60 x 90	8	6
	Combined Distance and Turn-off Markers Tab			
3 km	M.h-29t	30 x 45		
	M.h-129t	45 x 60		
	M.h1129t	60 x 90	8	6
2 tm	Distance Marker	Tab		
3 km	M.h-30t	30 x 45		
	M.h-1130t	60 x 90	8	6

6. Tourism and Commercial Signs (Book 9)

	Sign Name and Number	Size (cm)	Book	Section
	Ontario Provincial	Police		
0.P.P. □	G.or-1	60 x 90	9	5.4
POLICE	(use other arrows as	s required)		
DURHAM	Municipal Police			
	G.or-2	60 x 90	9	5.4
REGIONAL POLICE	(use other arrows as	s required)		
	Picnic and Roadside Table			
	G.or-3	60 x 60	9	5.4
000000 000000	911 Service, Emer	gency Route		
	G.s-18	20 x 120	9	5.4
000000	911 Service, Emer	gency Route		
	G.s-20	30 x 60	9	5.4


	Sign Name and Number	Size (cm)	Book	Section
FIRST AID POST	First Aid Post G.or-4	60 x 90	9	5.4
SCENIC	Scenic Lookout -	Advance		
LOOKOUT LAKE NIPISSING 500 m	G.or-5	90 x 90	9	5.4
SCENIC	Scenic Lookout –	Turn-off		
LOOKOUT	G.or-6	60 x 90	9	5.4
	Public Telephone			
	G.or-8	60 x 90	9	5.4
2	Regional Travel In	formation Centre		

	Sign Name and Number	Size (cm)	Book	Section
INFORMATION INFORMATION	Ontario Travel Info G.or-9	ormation Centre 120 x 240	9	5.4
INFORMATION	Ontario Travel Info G.or-10	ormation Centre 120 x 240	9	5.4
1 km	Regional Travel In	formation Centre 45 x 240	Tab 9	5.4
Information	Ontario Travel Info M.fa-5 M.fa-105	ormation Centre 45 x 45 60 x 60	9	5.4
	Hospital M.fa-1 M.fa-101	45 x 45 60 x 60	9	5.4
OTTAWA	Major Airport Mar M.fa-2A M.fa-102A	ker 60 x 60 90 x 120	9	5.4

	Sign Name and Number	Size (cm)	Book	Section
	Secondary Airport	t Marker		
WATERLOO- GUELPH	M.fa-2B M.fa-102B	60 x 75	9	5.4
	Local Airport Mark	cer		
IGNACE	M.fa-2C	60 x 75	9	5.4
	Bus Terminal			
	M.fa-3	90 x 90	9	5.4
Maidenford Rd.	Private Roadway	dentification Finger	ooard	
Maraemora IVa.	G.rr-1	30 x 150	9	5.4
BROADLEE	Personal Direction	n Fingerboard		
	G.rr-2	20 x 150	9	5.4
THIS IS	Private Road			
PRIVATE ROAD	G.rr-4	30 x 45	9	5.4

	Sign Name and Number	Size (cm)	Book	Section
AM 910 (Fr.) FM 95.2		ations in Northerr Designated Areas		rn Ontario
RADIO TIII 30.2	G.s-3	90 x 150	9	5.4
A	Neighbourhood	l Watch Program		
WATCH COMMUNITY NEIGHBOURHOOD WATCH COMMUNITY	G.s-8A G.s-8B	60 x 75 60 x 90	9	5.4
A DI CONTROLLE C	Block Parent P	rogram		
BLOCK PARENT COMMUNITY COMMUNITY	G.s-9A G.s-9B	60 x 75 60 x 90	9	5.4
GARBAGE DISPOSAL	GARBAGE DIS	POSAL		
	G.s-12	20 x 150	9	5.4
CAMPGROUND	Availability Ma	rker		
FULL	M.h-1131 A	60 x 90	9	5.4

7. Standard Traffic Signal Displays (Book 12, Figure 1)



Enquiries regarding the purchase and distribution of this manual should be directed to:

Publications Ontario 880 Bay Street Toronto, Ontario, Canada M7A 1N8 Phone: 416.326.5300

> Toll Free: 800.668.9938 TTY: 800.268.7095 Fax: 613.566.2234

Website: www.publications.gov.on.ca